


City of Shakopee Prairie Bend Park

Proposal # 100-147459-2
January 26, 2022

Presented by
St. Croix Recreation Fun Playgrounds Inc.



Burke®



January 26, 2022

Alyssa Olson
City of Shakopee
485 Gorman St
Shakopee, MN 55379

Dear Alyssa Olson:

St. Croix Recreation Fun Playgrounds Inc. is delighted to provide City of Shakopee with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. St. Croix Recreation Fun Playgrounds Inc. is confident that this proposal will satisfy City of Shakopee's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to continue developing a long-standing relationship with City of Shakopee. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Christopher Johnsen
St. Croix Recreation Fun Playgrounds Inc.
1826 Tower Dr W
Stillwater, MN 55082

Design Summary

St. Croix Recreation Fun Playgrounds Inc. is very pleased to present this Proposal for consideration for the Prairie Bend Park located in Shakopee. BCI Burke Company, LLC has been providing recreational playground equipment for over 90 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of City of Shakopee. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.

The following is a summary of some of the key elements of our Proposal:

- Project Name: Prairie Bend Park
- Project Number: 100-147459-2
- User Capacity: 89
- Age Groups: Ages 2-5 years, 5-12 years
- Dimensions: 103' 7" x 61' 6"
- Designer Name: Kari Champeau

St. Croix Recreation Fun Playgrounds Inc. has developed a custom playground configuration based on the requirements as they have been presented for the Prairie Bend Park playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 100-147459-2 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Prairie Bend Park playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.

INFORMATION
MINIMUM FALL ZONE
SURFACED WITH
RESILIENT MATERIAL
AREA

2499 SQ.FT.

PERIMETER

417 FT.

STRUCTURE SIZE

103' 7" x 61' 6"

STRUCTURE IS DESIGNED
FOR CHILDREN AGES:

- ☐ 6-23 MONTH OLDS
☒ 2-5 YEAR OLDS
☒ 5-12 YEAR OLDS
☐ 13 + YEAR OLDS



Registered
to ISO 9001

Registered
to ISO 14001




To verify product certification,
visit www.ipema.org

The play components identified
in this plan are IPEMA
certified. The use and layout of
these components conform to the
requirements of ASTM F1487.
To verify product certification,
visit www.ipema.org

The space requirements shown
here are to ASTM standards.
Requirements for other standards
may be different.

The use and layout of play
components identified in this plan
conform to the CPSC guidelines.
U.S. CPSC recommends the
separation of age groups in
playground layouts.

NOTE: ALTHOUGH ALL ATTEMPTS HAVE
BEEN MADE TO PROVIDE AN ACCURATE SITE
IT MAY NOT TRULY REPRESENT THE AREA
WHERE THIS STRUCTURE IS TO BE PLACED.



ADA ACCESSIBILITY GUIDELINE (ADAAG CONFORMANCE)

NUMBER OF PLAY EVENTS:	15
NUMBER OF ELEVATED PLAY EVENTS:	10
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY RAMP:	PROVIDED: 0
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY TRANSFER SYSTEM:	PROVIDED: 6
NUMBER OF ELEVATED PLAY EVENTS ACCESSIBLE BY RAMP OR TRANSFER SYSTEM:	PROVIDED: 5
NUMBER OF GROUND LEVEL PLAY EVENTS:	PROVIDED: 5
NUMBER OF TYPES OF GROUND LEVEL PLAY EVENTS:	PROVIDED: 3

WARNING!

ACCESSIBLE SAFETY SURFACING MATERIAL IS REQUIRED BENEATH
AND AROUND THIS EQUIPMENT.
FOR SLIDE FALL ZONE SURFACING AREA SEE CPSC's Handbook for
Public Playground Safety.
PLATFORM HEIGHTS ARE IN INCHES ABOVE RESILIENT MATERIAL.

Burke

January 26, 2022

SERIES: Basics, Fitness, Intensity, Nucleus

SITE PLAN

DRAWN BY: Kari Champeau

Prairie Bend Park



1983 Parkway Avenue

Shakopee, MN 55379

St. Croix Recreation Fun Playgrounds Inc.

100-147459-2

ITEM	COMP.	DESCRIPTION
1	270-0001	OFFSET ENCLOSURE
2	270-0112	UNITARY ENCLOSURE
3	270-0129	TRIANGLE PLATFORM
4	270-0130	SQUARE PLATFORM
5	270-0300	ABSTRACT PLATFORM LADDER
6	370-0004	POWER PIPES CLIMBER
7	370-0016	GRAB BAR ASSEMBLY
8	370-0024	DYNAMIC DISCS
9	370-0320	12 KID KOASTER, DECK TO DEC
10	370-0469	40" TRANSITION STAIR W/BARRI
11	370-0860	TREE BRANCH CLIMBER 32"
12	370-1604	BALANCE CHALLENGE
13	370-1608	OVISTEP LAUNCH PAD
14	370-1659	TRANSFER STATION, HANDRAIL
15	370-1661	TRANSFER STATION, BARRIER
16	370-1666	SHASTA CLIMBER, 80"-96"
17	370-1676	STRAIGHT HORIZONTAL LADDE
18	470-0758	VELO XL SLIDE, 88"-96" W/O HOC
19	470-0802	MONACO SLIDE, 32" 40"
20	470-0804	SLIDE HOOD, LOW SIDE WALL
21	550-0099	TOT SEAT, 7' & 8' SINGLE, STD C
22	550-0111	BELT SEAT, 8' SINGLE, STD CHA
23	550-0171	FREEDOM SWING SEAT, 8' BEAM
24	560-0457	SWIFT TWIST SPINNER
25	560-2566	COMET I
26	570-0394	PIPE WALL
27	570-0398	STEERING WHEEL ASSEMBLY
28	570-0516	TELESCOPE ASSEMBLY
29	570-0860	3-IN-A-ROW RING PANEL
30	570-2723	PINWHEEL POST MOUNTED SPI
31	580-1364	LIL NOVO BEAN STEP



Burke

January 26, 2022

SERIES: Basics, Fitness, Intensity, Nucleus


COMPONENT PLAN

DRAWN BY: Kari Champeau

Prairie Bend Park
1983 Parkway Avenue
Shakopee, MN 55379

St. Croix Recreation Fun Playgrounds Inc.


100-147459-2



The protective surfacing for this design must accomodate the critical fall height.



January 26, 2022



Burke

January 26, 2022

SERIES: Basics, Fitness, Intensity, Nucleus

ISOMETRIC PLAN

DRAWN BY: Kari Champeau

Prairie Bend Park

1983 Parkway Avenue

Shakopee, MN 55379

St. Croix Recreation Fun Playgrounds Inc.

100-147459-2

BCI Burke Company, LLC PO Box 549 Fond du Lac, Wisconsin 54936-0549 Telephone 920-921-9220



Proposal # 100-147459-2

January 26, 2022

2022 Pricing

Proposal Prepared for:

Alyssa Olson
Playgrounds Inc.
City of Shakopee
485 Gorman St
Shakopee, MN 55379
Phone: 9522339345

Project Location:

Prairie Bend Park

1983 Parkway Avenue
Shakopee, MN 55379

Proposal Prepared by:

St. Croix Recreation Fun

1826 Tower Dr W
Stillwater, MN 55082
Phone: 651-430-1247
Fax: 651-430-9231
jj@stcroixrec.com

Christopher Johnsen
Phone: 651-430-1247
Fax: 651-430-9231
cj@stcroixrec.com

Component No.	Description	Qty	User Cap	Ext. User Cap	Weight	Ext. Weight
Phase One						
Fitness						
370-1604	BALANCE CHALLENGE	1	2	2	76	76
Intensity						
370-0004	POWER PIPES CLIMBER	1	6	6	47	47
370-0016	GRAB BAR ASSEMBLY	1	0	0	6	6
370-0024	DYNAMIC DISCS	1	6	6	93	93
370-1608	OVISTEP LAUNCH PAD	1	1	1	10	10
370-1676	STRAIGHT HORIZONTAL LADDER, N...	1	6	6	58	58
Nucleus						
072-0500-108C	5" OD X 108" CAPPED POST	2	0	0	57	114
072-0500-120C	5" OD X 120" CAPPED POST	1	0	0	63	63
072-0500-124C	5" OD X 124" CAPPED POST	1	0	0	65	65
072-0500-128C	5" OD X 128" CAPPED POST	2	0	0	67	134
072-0500-132C	5" OD X 132" CAPPED POST	4	0	0	69	276
072-0500-140C	5" OD X 140" CAPPED POST	2	0	0	74	148
072-0500-164C	5" OD X 164" CAPPED POST	3	0	0	86	258
072-0500-188C	5" OD X 188" CAPPED POST	1	0	0	99	99
270-0001	OFFSET ENCLOSURE	3	0	0	30	90
270-0112	UNITARY ENCLOSURE	1	0	0	34	34
270-0129	TRIANGLE PLATFORM	1	2	2	48	48
270-0130	SQUARE PLATFORM	3	6	18	106	318
270-0300	ABSTRACT PLATFORM LADDER 16"	1	1	1	17	17
370-0320	12' KID KOASTER, DECK TO DECK	1	1	1	160	160
370-0469	40" TRANSITION STAIR W/BARRIE...	1	4	4	279	279
370-0860	TREE BRANCH CLIMBER 32"	1	2	2	17	17
370-1659	TRANSFER STATION, HANDRAIL 48"	1	6	6	210	210
370-1666	SHASTA CLIMBER, 80"-96"	1	4	4	32	32
470-0758	VELO XL SLIDE, 88"-96" W/O HO...	1	2	2	134	134
470-0804	SLIDE HOOD, LOW SIDE WALL	1	0	0	32	32
570-0394	PIPE WALL	3	0	0	36	108
570-0516	TELESCOPE ASSEMBLY	1	1	1	7	7
570-2723	PINWHEEL POST MOUNTED SPINNER	1	1	1	1	1
600-0104	NPPS SUPERVISION SAFETY KIT	1	0	0	3	3



Proposal # 100-147459-2

January 26, 2022

2022 Pricing

660-0103	MAINTENANCE KIT, STRUCTURE	1	0	0	7	7
660-0104	INSTALLATION KIT, STRUCTURE	1	0	0	5	5

Phase One User Capacity: 63
Phase One Weight: 2,949 lbs.
Phase One Price: \$39,195

Phase Two

Burke Basics

580-1364	LIL NOVO BEAN STEP	1	1	1	28	28
----------	--------------------	---	---	---	----	----

Intensity

570-0860	3-IN-A-ROW RING PANEL	1	4	4	54	54
----------	-----------------------	---	---	---	----	----

Nucleus

072-0500-116C	5" OD X 116" CAPPED POST	3	0	0	61	183
270-0129	TRIANGLE PLATFORM	1	2	2	48	48
370-1661	TRANSFER STATION, BARRIER 40"	1	5	5	217	217
470-0802	MONACO SLIDE, 32"-40"	1	2	2	71	71
470-0804	SLIDE HOOD, LOW SIDE WALL	1	0	0	32	32
570-0394	PIPE WALL	1	0	0	36	36
570-0398	STEERING WHEEL ASSEMBLY	1	1	1	7	7

Phase Two User Capacity: 15
Phase Two Weight: 676 lbs.
Phase Two Price: \$9,725

Phase Three

Burke Basics

550-0099	TOT SEAT, 7' & 8' SINGLE, STD...	1	1	1	12	12
550-0111	BELT SEAT, 8' SINGLE, STD CHA...	2	1	2	10	20
550-0171	FREEDOM SWING SEAT, 8' BEAM, ...	1	1	1	38	38
560-0457	SWIFT TWIST SPINNER	1	1	1	52	52
560-2586	COMET I	1	6	6	154	154
660-0101	INSTALL KIT, BURKE BASICS - P...	1	0	0	2	2

Phase Three User Capacity: 11
Phase Three Weight: 278 lbs.
Phase Three Price: \$5,062

Total User Capacity: 89
Total Weight: 3,902 lbs.
Total Price: \$53,982

Information is relative to the Jan 25 2022 4:35AM database.

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**



Proposal # 100-147459-2

January 26, 2022

2022 Pricing

Selected Color List

Color Group	Color
<i>Phase 1</i>	
Accessory	Redwood
Platform	Brown
Kore Konnect	Charcoal
1 Color Extruded/Flat	Orange
2 Color Extruded/Flat (outer)	Olive
2 Color Extruded/Flat (inner)	Black
Post	Charcoal
Rotomolded	Olive
<i>Phase 2</i>	
Accessory	Redwood
Rotomolded	Granite
Platform	Brown
Post	Charcoal
Kore Konnect	Charcoal
1 Color Extruded/Flat	Orange
2 Color Extruded/Flat (outer)	Olive
2 Color Extruded/Flat (inner)	Black
<i>Phase 3</i>	
Accessory	Redwood
1 Color Extruded/Flat	Orange
Platform	Brown
Rotomolded	Granite

BURKE GENERATIONS WARRANTY®

The Longest and Strongest warranty in the industry

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products. In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Synergy™, Nucleus®, Voltage®, Little Buddies®, ELEVATE®, ACTIVATE®, INVIGORATE™) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreConnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy™, Intensity®, Nucleus®, Voltage®, Little Buddies®, ELEVATE®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture® cables and LEVEL X® flex bridge against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2022

BCIBURKE.COM

Burke

800.266.1250