

City of Shakopee Huber Park

Proposal # 100-159978-2
January 13, 2023

Presented by
St. Croix Recreation Fun Playgrounds Inc.



Burke®



January 13, 2023

Michael Kerski
City of Shakopee
485 Gorman St.
Shakopee, MN 55379

Dear Michael Kerski:

St. Croix Recreation Fun Playgrounds Inc. is delighted to provide City of Shakopee with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. St. Croix Recreation Fun Playgrounds Inc. is confident that this proposal will satisfy City of Shakopee's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to continue developing a long-standing relationship with City of Shakopee. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

Christopher Johnsen
St. Croix Recreation Fun Playgrounds Inc.
1826 Tower Dr W
Stillwater, MN 55082

Design Summary

St. Croix Recreation Fun Playgrounds Inc. is very pleased to present this Proposal for consideration for the Huber Park located in Shakopee. BCI Burke Company, LLC has been providing recreational playground equipment for over 90 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of City of Shakopee. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.

The following is a summary of some of the key elements of our Proposal:

- Project Name: Huber Park
- Project Number: 100-159978-2
- User Capacity: 234
- Age Groups: Ages 2-5 years, 5-12 years
- Dimensions: 127' 3" x 118' 6"
- Designer Name: Kari Champeau

St. Croix Recreation Fun Playgrounds Inc. has developed a custom playground configuration based on the requirements as they have been presented for the Huber Park playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 100-159978-2 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Huber Park playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.

The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

ACCESSIBLE SAFETY SURFACING MATERIAL IS REQUIRED BENEATH AND AROUND THIS EQUIPMENT.
FOR SLIDE FALL ZONE SURFACING AREA SEE CPSC's Handbook for Public Playground Safety.
PLATFORM HEIGHTS ARE IN INCHES ABOVE RESILIENT MATERIAL.

BCI Burke Company, LLC PO Box 549 Fond du Lac, Wisconsin 54936-0549 Telephone 920-921-9220



SERIES: Basics, Intensity, Nucleus
COMPONENT PLAN
DRAWN BY: Kari Champeau


Huber Park
150 Fillmore St. N
Shakopee, MN 55379

St. Croix Recreation Fun Playgrounds Inc.
100-159978-2

BCI Burke Company, LLC PO Box 549 Fond du Lac, Wisconsin 54936-0549 Telephone 920-921-9220

January 13, 2023

ITEM	COMP	DESCRIPTION
1	270-0009	8" CLOSURE PLATE, ELLIPSE
2	270-0120	EVOLUTION UNITARY ENCLOSURE
3	270-0121	EVOLUTION STANCHION
4	270-0123	EVOLUTION ARCHED CATWALK
5	270-0129	TRIANGLE PLATFORM
6	270-0130	SQUARE PLATFORM
7	270-0132	HALF HEXAGON PLATFORM
8	270-0286	NUCLEUS STANCHION
9	270-0292	EVOLUTION CENTER MOUNT EN
10	270-0298	ABSTRACT PLATFORM LADDER
11	370-0030	ATHLETIC ARCH 2-5
12	370-0042	ASCEND ROCK CLIMBER, 32" 40"
13	370-0048	SLIDING POLE 56"-72"
14	370-0166	PODSTEP CLIMBER 64"-72"
15	370-0247	END RUNGS
16	370-0468	32" TRANSITION STAIR W/BARRI
17	370-0860	TREE BRANCH CLIMBER 32"
18	370-0863	TREE BRANCH CLIMBER 56"
19	370-1649	EVOLUTION, DECK TO ROOF CL
20	370-1657	TRANSFER STATION, HANDRAIL
21	370-1663	ROPEVENTURE TUNNEL
22	370-1673	PETAL STEP CLIMBER 64"-72"
23	370-1682	BETA CLIMBER 64"-72"
24	370-1684	ROUND-A-BOUT, NUCLEUS
25	370-1702	NUCLEUS CORE ARCH CLIMBER
26	370-1703	NUCLEUS CORE CROSS SUPPOR
27	370-1706	NUCLEUS CORE CLIMBER, 10"
28	370-1709	NUCLEUS CORE TRANSFER BEL
29	370-1715	MESA CLIMBER
30	470-0117	COBRA SLIDE CURVED 144"
31	470-0638	CLUBHOUSE HEX ROOF
32	470-0788	COBRA SLIDE FUSION "S" RIGHT
33	470-0792	COBRA SLIDE FUSION SPIRAL 14
34	470-0803	CONTOUR SLIDE, 64"-72"
35	470-0804	SLIDE HOOD, LOW SIDE WALL
36	470-0808	EVOLUTION ROOF BOTTOM EDG
37	470-0811	EVOLUTION ROOF END PLATE
38	470-0813	EVOLUTION HEX ROOF
39	470-0836	ROCKN ROLL SLIDE, 24-32 W/O
40	470-0872	EXTREME TWIST SPIRAL SLIDE
41	550-0100	TOT SEAT, 7 & 8" PAIR, STD CH
42	550-0112	BELT SEAT, 8" PAIR, STD CHAIN
43	550-0171	FREEDOM SWING SEAT, 8" BEAM
44	550-0191	KONNECTION SWING
45	550-0201	SINGLE POST SWING ASSEMBLY
46	550-0202	SINGLE POST SWING ADD-ON 5"
47	550-0206	ZIPVENTURE
48	550-9118	BRAVA UNIVERSAL SWING
49	560-0576	REV8
50	560-2579	VOLTA INCLUSIVE SPINNER
51	570-0100	EVOLUTION BARRIER
52	570-0557	COUNTER PANEL, BELOW PLAT
53	570-1544	EVOLUTION SHORT CURVED TO
54	570-1545	EVOLUTION 6' OPENING BARRIE
55	570-1558	EVOLUTION TALL CURVED TOP
56	570-2718	SEEKFNIND 2-SIDED PLAY PAN
57	570-2721	DOTS POST MOUNTED SPINNER
58	570-2722	PETALS POST MOUNTED SPINN
59	570-2723	PINWHEEL POST MOUNTED SPI
60	570-2724	RADIATE POST MOUNTED SPINN
61	570-2725	SPOKES POST MOUNTED SPINN
62	570-2726	WAVES POST MOUNTED SPINN
63	580-1364	LIL NOVO BEAN STEP
64	670-0423	POST, FOOTER EXTENSION 5" C
65	670-0425	5" OD STUBBY POST CAP






SERIES: Basics, Intensity, Nucleus
ELEVATION PLAN
DRAWN BY: Kari Champeau

Huber Park
150 Fillmore St. N
Shakopee, MN 55379

St. Croix Recreation Fun Playgrounds Inc.
100-159978-2


BCI Burke Company, LLC PO Box 549 Fond du Lac, Wisconsin 54936-0549 Telephone 920-921-9220



Rev8 Fall Height:
ASTM 6' 0"
CPSC 11' 0"

The protective surfacing for this design must accommodate the critical fall height.

January 13, 2023



Burke

January 13, 2023

SERIES: Basics, Intensity, Nucleus

ISOMETRIC PLAN

DRAWN BY: Kari Champeau

Huber Park

150 Fillmore St. N

Shakopee, MN 55379

St. Croix Recreation Fun Playgrounds Inc.

100-159978-2

BCI Burke Company, LLC PO Box 549 Fond du Lac, Wisconsin 54936-0549 Telephone 920-921-9220



Proposal # 100-159978-2

January 13, 2023

2023 Pricing

Proposal Prepared for:

Michael Kerski
Playgrounds Inc.
City of Shakopee
485 Gorman St.
Shakopee, MN 55379
Phone: 9522339300

Project Location:

Huber Park

150 Fillmore St. N
Shakopee, MN 55379

Proposal Prepared by:

St. Croix Recreation Fun

1826 Tower Dr W
Stillwater, MN 55082
Phone: 651-430-1247
Fax: 651-430-9231
jj@stcroixrec.com

Christopher Johnsen
Phone: 651-430-1247
Fax: 651-430-9231
cj@stcroixrec.com

Component No.	Description	Qty	User Cap	Ext. User Cap	Weight	Ext. Weight
Burke Basics						
550-0100	TOT SEAT, 7' & 8' PAIR, STD ...	1	2	2	23	23
550-0112	BELT SEAT, 8' PAIR, STD CHAIN	1	2	2	20	20
550-0171	FREEDOM SWING SEAT, 8' BEAM, ...	1	1	1	38	38
550-0191	KONNECTION SWING	1	2	2	64	64
550-0201	SINGLE POST SWING ASSEMBLY 5"...	1	0	0	220	220
550-0202	SINGLE POST SWING ADD-ON 5" OD	2	0	0	145	290
550-0206	ZIPVENTURE	1	1	1	1,392	1,392
550-9118	BRAVA UNIVERSAL SWING	1	6	6	530	530
560-0576	REV8	1	25	25	1,343	1,343
560-2579	VOLTA INCLUSIVE SPINNER	1	9	9	475	475
580-1364	LIL NOVO BEAN STEP	1	1	1	28	28
660-0101	INSTALL KIT, BURKE BASICS - P...	1	0	0	2	2
Intensity						
370-0030	ATHLETIC ARCH 2-5	1	3	3	46	46
370-1684	ROUND-A-BOUT, NUCLEUS	1	12	12	115	115
Nucleus						
072-0500-100C	5" OD X 100" CAPPED POST	1	0	0	53	53
072-0500-108C	5" OD X 108" CAPPED POST	4	0	0	57	228
072-0500-120C	5" OD X 120" CAPPED POST	3	0	0	63	189
072-0500-124C	5" OD X 124" CAPPED POST	2	0	0	65	130
072-0500-132C	5" OD X 132" CAPPED POST	1	0	0	69	69
072-0500-148C	5" OD X 148" CAPPED POST	1	0	0	78	78
072-0500-176C	5" OD X 176" CAPPED POST	2	0	0	92	184
072-0500-196C	5" OD X 196" CAPPED POST	1	0	0	103	103
072-0502-172S	5" OD X 172" SWAGED POST	7	0	0	90	630
072-0502-180S	5" OD X 180" SWAGED POST	12	0	0	94	1,128
072-0502-216S	5" OD X 216" SWAGED POST	4	0	0	113	452
072-0502-220S	5" OD X 220" SWAGED POST	2	0	0	115	230
072-0504-10B	5" OD X 10" STUBBY POST	1	0	0	6	6
072-5503-104T	5" OD X 104" TOP ALUMINUM CAP...	2	0	0	20	40
072-5503-24T	5" OD X 24" TOP ALUMINUM CAPP...	4	0	0	6	24
072-5503-32T	5" OD X 32" TOP ALUMINUM CAPP...	2	0	0	7	14
072-5503-92T	5" OD X 92" TOP ALUMINUM CAPP...	4	0	0	18	72
270-0009	8" CLOSURE PLATE, ELLIPSE	6	0	0	8	48



Proposal # 100-159978-2

January 13, 2023

2023 Pricing

270-0120	EVOLUTION UNITARY ENCLOSURE	14	0	0	34	476
270-0121	EVOLUTION STANCHION	1	0	0	43	43
270-0123	EVOLUTION ARCHED CATWALK BRID...	1	11	11	439	439
270-0129	TRIANGLE PLATFORM	10	2	20	48	480
270-0130	SQUARE PLATFORM	1	6	6	106	106
270-0132	HALF HEXAGON PLATFORM	6	6	36	144	864
270-0286	NUCLEUS STANCHION	1	0	0	37	37
270-0292	EVOLUTION CENTER MOUNT ENCLOS...	1	0	0	40	40
270-0298	ABSTRACT PLATFORM LADDER 32"	1	1	1	34	34
370-0042	ASCEND ROCK CLIMBER, 32"-40"	1	2	2	100	100
370-0048	SLIDING POLE 56"-72"	1	1	1	27	27
370-0166	PODSTEP CLIMBER 64"-72"	1	10	10	143	143
370-0247	END RUNGS	1	1	1	10	10
370-0468	32" TRANSITION STAIR W/BARRIE...	1	3	3	215	215
370-0860	TREE BRANCH CLIMBER 32"	1	2	2	17	17
370-0863	TREE BRANCH CLIMBER 56"	1	2	2	25	25
370-1649	EVOLUTION, DECK TO ROOF CLIMB...	1	7	7	472	472
370-1657	TRANSFER STATION, HANDRAIL 32"	2	4	8	135	270
370-1663	ROPEVENTURE TUNNEL	1	0	0	311	311
370-1673	PETAL STEP CLIMBER 64"-72"	1	4	4	66	66
370-1682	BETA CLIMBER 64"-72"	1	3	3	57	57
370-1702	NUCLEUS CORE ARCH CLIMBER	1	7	7	265	265
370-1703	NUCLEUS CORE CROSS SUPPORT	3	0	0	32	96
370-1706	NUCLEUS CORE CLIMBER, 10'	1	14	14	194	194
370-1709	NUCLEUS CORE TRANSFER BELT	1	2	2	60	60
370-1715	MESA CLIMBER	1	4	4	143	143
470-0117	COBRA SLIDE CURVED 144"	1	3	3	463	463
470-0638	CLUBHOUSE HEX ROOF	2	0	0	335	670
470-0788	COBRA SLIDE FUSION "S" RIGHT ...	1	2	2	324	324
470-0792	COBRA SLIDE FUSION SPIRAL 144"	1	2	2	443	443
470-0803	CONTOUR SLIDE, 64"-72"	1	4	4	232	232
470-0804	SLIDE HOOD, LOW SIDE WALL	1	0	0	32	32
470-0808	EVOLUTION ROOF BOTTOM EDGE	3	0	0	13	39
470-0811	EVOLUTION ROOF END PLATE	1	0	0	12	12
470-0813	EVOLUTION HEX ROOF	2	0	0	211	422
470-0836	ROCK'N ROLL SLIDE, 24-32 W/O ...	1	1	1	50	50
470-0872	EXTREME TWIST SPIRAL SLIDE	1	2	2	217	217
570-0100	EVOLUTION BARRIER	4	0	0	52	208
570-0557	COUNTER PANEL, BELOW PLATFORM	1	4	4	37	37
570-1544	EVOLUTION SHORT CURVED TOP BA...	5	0	0	50	250
570-1545	EVOLUTION 6' OPENING BARRIER	2	0	0	78	156
570-1558	EVOLUTION TALL CURVED TOP BAR...	1	0	0	114	114
570-2718	SEEK'N'FIND 2-SIDED PLAY PANE...	1	2	2	57	57
570-2721	DOTS POST MOUNTED SPINNER	1	1	1	1	1
570-2722	PETALS POST MOUNTED SPINNER	1	1	1	1	1
570-2723	PINWHEEL POST MOUNTED SPINNER	1	1	1	1	1
570-2724	RADIATE POST MOUNTED SPINNER	1	1	1	1	1
570-2725	SPOKES POST MOUNTED SPINNER	1	1	1	1	1
570-2726	WAVES POST MOUNTED SPINNER	1	1	1	1	1
600-0104	NPPS SUPERVISION SAFETY KIT	1	0	0	3	3
660-0103	MAINTENANCE KIT, STRUCTURE	1	0	0	7	7
660-0104	INSTALLATION KIT, STRUCTURE	1	0	0	5	5
670-0423	POST, FOOTER EXTENSION 5" OD ...	13	0	0	11	143
670-0425	5" OD STUBBY POST CAP	1	0	0	1	1



Proposal # 100-159978-2

January 13, 2023

2023 Pricing

Total User Capacity: 234

Total Weight: 17,144 lbs.

Total Price: \$279,069

Information is relative to the Jan 13 2023 4:35AM database.

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**



Proposal # 100-159978-2

January 13, 2023

2023 Pricing

Selected Color List

Color Group	Color
--------------------	--------------

Phase 1

Post	Olive
1 Color Extruded/Flat	Blue
Accessory	Tan
Platform	Brown
Kore Konnect	Olive
2 Color Extruded/Flat (outer)	Blue
2 Color Extruded/Flat (inner)	White
Rotomolded	Blue

Phase 2

Accessory	Tan
Platform	Brown
Post	Olive
Kore Konnect	Olive
Rotomolded	Blue
2 Color Extruded/Flat (outer)	Blue
2 Color Extruded/Flat (inner)	White
1 Color Extruded/Flat	Blue

Phase 3

Contemporary Swing Fittings	Olive
Accessory	Tan
Rotomolded	Blue
Platform	Brown
Post	Olive
2 Color Extruded/Flat (outer)	Blue
2 Color Extruded/Flat (inner)	White
1 Color Extruded/Flat	Blue



Proposal # 100-159978-2

January 13, 2023
2023 Pricing

Konnection Swing™

Safety Standards & Guidelines - Reference Information

The Konnection Swing was designed to provide an intergenerational play opportunity and offer everyone the childhood joy of swinging! While researching the use of swings, two trends stood out to us - caregivers pushing infants in bucket seat swings and adults swinging with children on their lap. Both situations could be improved with the design of a swing designed to foster connection and increase safety. The Konnection Swing was developed as a direct result of this. The overall design is focused on fostering true connection in both eye contact and proximity leading to increased engagement for all users. Hands-free swinging allows the caregiver to hold, interact and play with the child as they both experience the thrill of swinging together.

The Konnection Swing is IPEMA Certified and meets or exceeds the requirements of ASTM F1487-17, which is recognized as the standard of care in the playground industry. This ASTM public playground safety standard is revised every two to three years to remain current with innovation and market trends.

The CPSC Public Playground Safety Handbook hasn't been revised since 2008 and doesn't include new product categories that have been innovated in recent years. There are a couple of points to note when deciding to purchase a multi-user swing:

- Multi-user swings are innovative and CPSC Public Playground Safety Handbook doesn't have a standard that specifically covers them.
- CPSC 5.3.8.3.1 – CPSC recommends that belt swing seats should be designed to accommodate no more than one user at any time. While the Konnection Swing is a single axis swing, it is clearly not a belt seat.
- CPSC 2.3.1 – CPSC says that swings intended for more than one user are not recommended because their greater mass, as compared to single occupancy swings, presents a risk of impact injury.
 - The ASTM safety standard, F1487, was revised in 2011 to add maximum impact requirements for swings and the Konnection Swing has been tested and is compliant with ASTM impact requirements.
 - CPSC has written a letter stating that “the swing impact test in F1487-11 is a reasonable approach to address the concerns posed by unoccupied, heavy, multiple occupancy swings.”
- CPSC has always included an exemption to both recommendations listed above for tire swings, which are multiple occupancy swings that are suspended from a single pivot and permit swinging in any direction.
- CPSC also emphasizes that their Handbook provides recommendations, not requirements. If a jurisdiction adopts the Handbook's recommendations as mandatory requirements, that jurisdiction would need to determine how the requirements should be applied in any particular instance.

BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Synergy®, Nucleus®, Voltage®, Little Buddies®, ELEVATE®, ACTIVATE®, INVIGORATE®) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnecT® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy®, Intensity®, Nucleus®, Voltage®, Little Buddies®, ELEVATE®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRG products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture® cables and LEVEL X® flex bridge against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use; exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2023

BCIBURKE.COM

Burke

800.266.1250